

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(57) International Patent Classification ⁶ : A23L 1/29, 1/302, 1/304	A1	(11) International Publication Number: WO 99/65336 (43) International Publication Date: 23 December 1999 (23.12.99)
(21) International Application Number: PCT/US99/13757 (22) International Filing Date: 17 June 1999 (17.06.99) (30) Priority Data: 60/089,744 18 June 1998 (18.06.98) US (71) Applicant: KELLOGG COMPANY [US/US]; One Kellogg Square, Battle Creek, MI 49016 (US). (72) Inventors: CLARK, Douglas; 244 W. Hamilton Lane, Battle Creek, MI 49015 (US). GILLIS, Elizabeth; 144 Pleasantville Drive, Battle Creek, MI 49017 (US). GOBBLE, Harold; 10727 East C.D., P.O. Box 370, Richland, MI 49083 (US). FRANCISCO, Neal; 8325 South Cochran, Olivet, MI 49076 (US). KINCAID, James; 2542 Ramblin Drive, Battle Creek, MI 49014 (US). (74) Agent: LEVIN, Katrine, A.; Fulbright & Jaworski L.L.P., 666 Fifth Avenue, New York, NY 10103 (US).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>
(54) Title: AN EDIBLE COMPOSITION CONTAINING AGGLOMERATED FORTIFICANT PARTICLES AND METHOD OF MAKING AND AN EDIBLE AGGLOMERATED GRANULE (57) Abstract This invention discloses an edible composition containing agglomerated granules which, when added to an edible composition, substantially do not alter its sensory characteristics and a process for producing such edible compositions. This invention also discloses the agglomerated granules that are added to these edible compositions.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

An edible composition containing agglomerated fortificant particles and method of making and an edible agglomerated granule.

BACKGROUND

The present invention relates to fortifying edible compositions with a fortificant or a combination of fortificants in such a way that the sensory characteristics of the edible compositions are substantially not affected by the fortification, and the edible compositions produced thereby.

5 Fortificants play a vital role in nutrition. Calcium, phosphorous, sodium, potassium, and chloride are required by the body in relatively large amounts and traces of copper, iron, zinc, cobalt magnesium, manganese, molybdenum, nickel, silicon, selenium and vanadium are also essential for good nutrition. Since the body does not synthesize these materials, they must be supplied in the diet. Modern Inorganic Pharmaceutical Chemistry, Discher, Medwick and
10 Bailey, Second Edition, page 393.

Generally, addition of a small amount of a fortificant or a mixture of fortificants to an edible composition (about less than 1% by weight of the composition) does not affect the overall sensory characteristics of the composition and can therefore be accomplished relatively easily. However, meeting the current U.S. recommended dietary allowance (USRDA) for most
15 fortificants requires fortifying an edible composition with 1% or more of the fortificant or mixture of fortificants by weight of the composition, which affects the processing as well as the sensory characteristics of the fortified composition.

It was found that the addition of fortificants at these high levels can result in a composition having an off-color, off-texture and/or off-taste, all of which are unpleasing to the
20 eye and palate. For example, sensory analysis showed that addition of calcium resulted in a final product with a chalky, less sweet taste, causing the fortified edible composition to score differently from a non-fortified control in a taste test.

Previously, workers in the field tried to mask the off-sensory characteristics associated with fortification by adding the fortificants at different points of the process for making the
25 edible composition of choice. For example, U.S. Patents 5,258,189 and 5,268,870 (Efstathiou) disclose fortifying a ready-to-eat (R-T-E) cereal with vitamin-mineral complexes by homogenously dispersing the complexes with a cooked cereal mass prior to piece forming and

finish drying and U.S. Patent 4,478,857 (Stauss) discloses adding vitamins and minerals to a milled corn and soy-bean flour.

Additional investigators found that while adding fortificants at the end of the processing produced less of an interference with the composition's sensory characteristics, adding substantial amounts of fortificants to the composition nonetheless presented off-taste and appearance problems.

Since most fortificants are a fine powder, it was suspected that the high surface area and disperseability of fortificant powders allowed them to interact with the senses to a noticeable degree. Prior practices attempted to overcome this problem by coating mineral particles with carriers such as fats and oils. U.S. Patent No. 3,992,555 (Kovacs) discloses avoiding undesirable odor, color and flavor characteristics associated with mineral fortification by coating a mineral or a mixture of minerals with an assimilable fat. U.S. Patent No. 3,767,824 (Keyser) and U.S. Patent No. 3,784,716 (Spangler) describe coating a dried cereal with vitamins which are themselves coated with a fatty composition or a hard fatty acid. Similarly, U.S. Patent No. 3,037,911 (Stoyle) discloses masking the off-flavors of water soluble vitamins by coating them with a fatty composition and U.S. Patent No. 3,035,985 (Stoyle) describes rendering iron tasteless by coating it with a fatty composition. U.S. Patent No. 3,860,733 discloses masking the taste of vitamin-mineral mixes by microencapsulation with a solvent-containing solution. U.S. Patent No. 5,643,623 (Schmitz) discloses a health food product fortified with an antioxidant mixture integrated within a lipid containing core that prevents discoloration of the food product. U.S. Patents 5,445,837 and 5,468,506 disclose fortifying foods with a bioavailable source of calcium which is dissolved in a sweetener composition. U.S. Patent No. 5,514,387 discloses enriching dough with calcium by admixing emulsifying amounts of a fatty acid ester and a stearyl lactylate.

All of the prior efforts to mask or reduce the disagreeable sensory characteristics associated with fortification involved coating or encapsulating the fortificants so as to prevent the interaction of the fortificants with the senses. The problem with this approach is that it is not cost effective. Coating agents are expensive and the encapsulation process can use spray drying or fluid bed granulating which requires high energy use.

The present invention addresses this problem by providing a cost effective process of fortifying an edible food composition substantially without altering the sensory characteristics of the edible composition and by providing the edible food composition made thereby.

SUMMARY

The present invention relates to agglomerated granules which, when added to an edible composition, substantially do not alter its sensory characteristics. The invention also relates to an edible composition to which these agglomerated granules are added. Further, the invention relates to a process for producing an edible composition containing agglomerated granules which substantially do not change the sensory characteristics of the composition comprising agglomerating fortificant particles with a binding/masking agent and adding the particles to the edible composition.

Other embodiments of the present invention are further described hereinbelow.

DESCRIPTION

The present invention relates to the discovery that fortificant particles can be agglomerated with a binding/masking agent, forming distinct agglomerated granules, which can also be referred to as "bits". Each agglomerated granule consists of agglomerated particles of a single fortificant or of a combination of fortificants. The terms "fortificant" and "fortificants" hereinafter refer to minerals that are required for nutrition such as, for example, calcium, zinc, iron or other transition metals; and to other fortificants that are required for nutrition such as, for example, vitamins or riboflavin.

Agglomeration, as is normally understood by those skilled in the art, refers to particle size enlargement. Agglomeration of fortificant particles into granules decreases the surface area, disperseability and solubility of the fortificants, which is thought to reduce their interaction with the senses. This is in contrast to coating fortificant particles, which does not reduce the surface area of the fortificants and which prevents rather than reduces the interaction of the particles with the senses. Agglomerating rather than coating fortificant particles allows the addition of higher amounts of fortificants to an edible composition substantially without affecting the sensory characteristics of the composition, such as, for example, its taste, smell, texture, mouthfeel, odor and color. That is, when an edible composition fortified with agglomerated fortificant particles

is compared to an edible composition which is not fortified with fortificants, a trained sensory panel will not be able to detect a difference in the sensory characteristics of the two compositions at a 90% confidence level.

The binding/masking agent contemplated by the present invention includes but is not limited to syrup, most preferably corn syrup. The binding/masking agent both binds the fortificant particles together (thereby agglomerating them) and substantially masks any off-color, off-texture, or off-taste that would have otherwise resulted from the addition of a fortificant or fortificants to an edible composition.

The edible compositions of the present invention include any edible composition, preferably cereals, food bars, confections, breads, snacks, or vitamin supplements; more preferably cereals; and most preferably R-T-E cereals. The edible compositions preferably comprise up to about 2% of the fortificants by weight of the composition, most preferably between about 0.1% to about 2% by weight of the composition, and yet more preferably between about 0.5% to about 1% by weight of the composition.

The agglomerated granules of the present invention can be prepared using any agglomeration or granulation process known in the art, such as, for example, using pan pelletizing, pellet milling, compacting, extruding, drum dry/flake, drum/tumble mixer, a high speed mixer, or a mixer/ granulator. Preferably, a fortificant powder, or a mixture of mineral powders, is mixed in an agglomerator/granulator. Subsequently, a binding/masking agent is added in an amount sufficient to produce agglomerated granules of the desired size. The resulting wet granules, called "green granules," are removed from the agglomerator/granulator and dried.

The green granules are white or off-white in color but can be darkened to different shades of brown or brown-grey by varying the temperature and time of the drying process. The drying process also reduces the moisture content of the granules to a level compatible with the edible composition of choice. This level is generally in the range of 0-6% moisture, more preferably 0.5-3% moisture.

Once the granules are dried to the desired color and moisture content, they are cooled and screened. The size of the granules is important in developing the desired sensory profile of the edible composition and varies depending on the composition. Generally, the granule size will range from 88 to 2000 microns, preferably 420 microns to 2000 microns, and most preferably

710 to 1680 microns. However, achieving the desired sensory profile of certain products may require granule size outside this range. It has been found that 700-1700 microns is the preferred size for cereal and 50-200 microns is the preferred size for edible compositions such as food bars.

Techniques, such as sensory testing, for determining the desirable granule size for an edible composition of choice are known by those skilled in the art. Any oversize particles can be recycled by milling and rescreening and fines may be recycled back to the agglomerator/granulator and reprocessed into larger granules.

The agglomerated granules of the present invention can be further colored as desired, using any of the methods known in the art, using suitable agents such as FDC lake colors, riboflavin (which imparts a yellow color) or caramel colors. The agglomerated granules can also be flavored as desired, using any of the methods known in the art. Coloring and flavoring the agglomerated granules can be done at any point, before or after the drying process.

The use of agglomerated granules allows higher levels of fortification, substantially without altering the sensory characteristics of an edible composition, than can be achieved with the same fortificants in a powdered or coated state.

For example, a trained sensory panel was asked to compare the sensory attributes of three sugar coated cereal products. The control product was not fortified with fortificants, another product was fortified with fortificants in their powdered state and a third product was fortified with agglomerated fortificant particles (agglomerated granules). Both fortified products contained comparable levels of calcium, zinc and iron as determined by chemistry analysis and the cereal base used for all three products was identical. The results of this test showed that the sensory attributes of the product fortified with agglomerated granules were substantially the same as those of the control product whereas a change in the sensory attributes of the product fortified with powdered fortificants was detected. Table 1 shows the mean scores for the sensory attributes of each product tested. Means with the same letter are not significantly different at a 90% confidence level.

Table 1

Sensory Attribute	Control Product (Not Fortified)	Fortified Product (Agglomerated fortificant particles)	Fortified Product (Powdered fortificant particles)
Overall Intensity	9.9 a	9.6 a	8.5 b
Sweet	9.3 a	9.1 a	8.5 b
Grain	4.3 a	3.8 a	2.7 b
Astringent	3.3 a	3.0 a	2.5 b
Metallic	0.1 a	0.1 a	0.6 b
Oily coating	0.9 a	0.9 a	2.0 b
Mouth roughness	1.3 a	1.3 a	2.8 b

Fortification with agglomerated granules can be performed at any stage of the process for making an edible composition. When the edible composition is an R-T-E cereal, the process generally involves a coating step wherein the cereal is coated with a binding or other agent to, for example, achieve a longer bowl-life. In this case, it is preferred that fortification occur during or immediately after the coating step to minimize degradation of the agglomerated granules. An added advantage is that the granules, which can be colored and/or flavored, can be sprinkled on the coated cereal, adhering thereto.

The following examples describe preferred embodiments of the invention. It will be understood that the examples provided herein are illustrative and do not limit the scope of the invention.

Agglomerated Granule Production

EXAMPLE 1

A Cuisinart Food Pro was charged with mineral powders according to the following formula:

Calcium Carbonate	400 grams
Zinc Oxide	7.5 grams
Corn Syrup, 62DE	214 grams

The Cuisinart was run for 30 seconds to dry mix the powders. Corn Syrup, 62 Dextrose Equivalent (62DE), was heated to 228°F and added dropwise over 20 minutes. During the last 5 minutes corn syrup addition was slowed as an exotherm was generated and the powders began to rapidly granulate. After all the corn syrup was added, the mixer was run for 3 minutes. The granules were then placed on an aluminum sheet and placed in a gas fired oven set to 275°F for 14 minutes. The granules were then cooled and screened to a size of 710 by 1680 microns.

EXAMPLE 2

A 58 liter Stephan Mixer was charged with mineral powders according to the following formula:

Calcium Carbonate	42.96 lbs
Zinc Oxide	4.783 lbs
Corn Syrup, 62DE	10.8 lbs

The blades in the Stephan Mixer were inverted and cooling water was supplied at 50°F. The powders were charged to the mixer and the lid was closed. The scraper blade was turned on followed by the main blade at 2000-3000 rpm. The powders were mixed for 30 seconds. Corn Syrup, 62DE was heated to 215°F in a jacketed scrapped surface kettle (available from Lee Industries). Once heated, the corn syrup was transferred to a pumping system equipped with a Micro Motion mass flow meter. The corn syrup was added at 0.5 to 2lb/min until 10.8 lbs were added. Mixing continued for 2-7 minutes after addition of the corn syrup, until proper granulation had occurred. The granules were then placed in a perforated stainless steel vat. Hot air at 260°F was blown across the perforations and the product was allowed to dry and color over 14 minutes. The product was then transferred to another vat and cooled with ambient air. The material was then screened using a 24" Sweco with 710 by 1680 microns. The product was collected and particles of a size greater than 1680 microns were milled using a co-mill with a greater than 8 mesh screen. The oversize fractions were recycled through the sweco and the 710 by 1680 micron fraction was recovered as product. The less than 710 microns fraction was discarded. The 710 by 1680 microns fraction was reserved for use in coating a cereal product.

EXAMPLE 3

A Cuisinart Food Pro was charged with mineral powders according to the following formula:

Calcium Carbonate	400 grams
Corn Syrup, 42 HFCS	200 grams

The Cuisinart was run for 30 seconds to dry mix the powders. High Fructose Corn Syrup (42 HFCS) was heated to 100°F and added dropwise over 20 minutes. During the last 5 minutes addition of the corn syrup was slowed as an exotherm was generated and the powders began to rapidly granulate. After all the corn syrup was added, the mixer was run for 3 minutes. The granules were then placed on an aluminum sheet and placed in a gas fired oven set to 275°F for 14 minutes. The granules were then cooled and screened to a size of 710 by 1680 microns.

EXAMPLE 4

A Cuisinart Food Pro was charged with mineral and vitamin powders according to the following formula:

Calcium Carbonate	180.44 grams
Magnesium oxide	141.04 grams
Retinyl Palmitate	8.14 grams
B1-HCL	2.68 grams
Riboflavin	2.47 grams
B6-HCl	20.64 grams
Folic Acid	0.45 grams
B-12, 1% H ₂ O Soluble	23.06 grams
Niacinamide	8.15 grams
Sodium Ascorbate	61.63 grams
D-Calpant.	0.0046 grams
Vitamin E Acetate Dry	1.30 grams
Corn Syrup 62DE	150.00 grams

The dry powders were mixed in the Cuisinart for 30 seconds and then the liquid ingredients, other than corn syrup, were added. Subsequently, Corn Syrup, 62 Dextrose Equivalent (62DE), was heated to 228°F and added dropwise over 20 minutes. During the last 5 minutes corn syrup addition was slowed as an exotherm was generated and the powders began to rapidly granulate. After all the corn syrup was added, the mixer was run for 3 minutes. The granules were then placed on an aluminum sheet and placed in a gas fired oven set to 250°F for 12 minutes. The granules were then cooled and screened to a size of 240 by 2000 microns. High Fructose Corn Syrup (42 HFCS) was heated to 100°F and added dropwise over 20 minutes.

Preparing Edible Compositions With Elevated Fortificant Levels

Preparation of edible compositions with elevated fortificant levels can be achieved through a batch process or a continuous process. In the preparation of cereal products with elevated fortificant levels, the cereal base can come in many forms, including but not limited to flakes, granola pieces, or extruded or puffed shapes such as loops or balls. The cereal may be single-grain or multi-grain.

EXAMPLE 5

Using a batch process, a fortified single grain cereal is prepared having the following formulation:

Cereal base:	60% toasted flakes of corn grits
Syrup:	39% sucrose (75-85°brix)
Minerals:	1% agglomerated granules

The prepared cereal base was loaded into a small kettle. While the kettle was rotated, heated syrup was sprayed onto the cereal base. Agglomerated granules prepared as described in any of the embodiments disclosed in Examples 1-3 were added to the cereal via a shaker can such as a grated cheese shaker. The product was then dried and cooled.

EXAMPLE 6

Using a batch process, a fortified multi grain cereal is prepared having the following formulation:

Cereal base:	78% multi grain extruded loop
Syrup:	17% sucrose and HFCS (75-85°brix)
Minerals:	5% granules

The prepared cereal base was loaded into a small kettle. While the kettle was rotated, heated syrup was sprayed onto the cereal base. Agglomerated granules prepared as described in any of the embodiments disclosed in Examples 1-3 were added to the cereal via a shaker can such as a grated cheese shaker. The product was then dried and cooled.

EXAMPLE 7

Using a continuous process, a fortified single grain cereal is prepared having the following formulation:

Cereal Base:	50-150 (lbs/min) corn flakes
Syrup:	30-100 (lbs/min) sucrose (75-85°brix)
Minerals:	0.5-2.5 (lbs/min) agglomerated granules

The prepared cereal base is continuously fed into a rotating drum. Heated syrup is sprayed onto the base product as it tumbles in the drum. The agglomerated granules, prepared as described in any of the embodiments disclosed in Examples 1-3, are also metered into the drum, using either a screw conveyor or a pneumatic feeder, so that they contact the cereal just after it has been coated with the syrup. The agglomerated granules adhere to the coated base.

The product is then dried and cooled.

EXAMPLE 8

Using a continuous process, a fortified multi grain cereal is prepared having the following formulation:

Cereal Base:	100-200 (lbs/min) multi grain extruded loop
Syrup:	25-51 (lbs/min) sucrose and HFCS (75-85°brix)
Minerals:	7-12 (lbs/min) agglomerated granules

The prepared cereal base is continuously fed into a rotating drum. Heated syrup is sprayed onto the base product as it tumbles in the drum. The agglomerated granules, prepared as described in any of the embodiments disclosed in Examples 1-3, are also metered into the drum, using either a screw conveyor or a pneumatic feeder, so that they contact the cereal just after it has been coated with the syrup. The agglomerated granules adhere to the coated base. The product is then dried and cooled.

It will be understood that the specification and examples are illustrative of the present invention and that other embodiments within the spirit and scope of the invention will suggest themselves to those skilled in the art. All references cited herein are incorporated by reference.

What is claimed is:

1. An edible composition containing agglomerated fortificant particles which, when added to the edible composition, substantially do not alter its sensory characteristics.
2. An edible composition of claim 1, comprising R-T-E cereal.
3. An edible composition of claim 1, wherein the agglomerated fortificant particles comprise a fortificant or a combination of fortificants required for nutrition.
4. An edible composition of claim 3, wherein the agglomerated fortificant particles consist of vitamins, minerals, other fortificants, or a combination of two or more thereof.
5. An edible composition of claim 3, wherein the agglomerated fortificant particles are selected from the group consisting of calcium, zinc, iron or a combination of two or more thereof.
6. An edible composition of claim 5, wherein the agglomerated fortificant particles are calcium.
7. A process for producing an edible composition containing agglomerated particles which substantially do not change the sensory characteristics of the composition comprising agglomerating the fortificant particles with a binding/masking agent and adding the particles to the edible composition.
8. A process according to claim 7, wherein the binding/masking agent is syrup.
9. A process according to claim 7, wherein the agglomerated fortificant particles comprise a fortificant or a combination of fortificants required for nutrition.

10. A process according to claim 9, wherein the agglomerated fortificant particles consist of vitamins, minerals, other fortificants, or a combination of two or more thereof.
- 5 11. A process according to claim 9, wherein the agglomerated fortificant particles are selected from the group consisting of calcium, zinc, iron or a combination of two or more thereof.
12. A process according to claim 9, wherein the agglomerated fortificant particles are calcium.
- 10 13. An agglomerated granule which, when added to an edible composition, substantially does not alter its sensory characteristics.
14. An agglomerated granule of claim 13, wherein the size of the granule varies depending on the edible composition to which the granule is added.
- 15 15. An agglomerated granule of claim 14, having a size of from about 88 to about 2000 microns.
- 20 16. An agglomerated granule of claim 14, having a size of from about 420 to about 2000 microns.
17. An agglomerated granule of claim 14, having a size of from about 50 to about 200 microns.
- 25 18. An agglomerated granule of claim 13, comprising a fortificant or a combination of fortificants required for nutrition.
19. An agglomerated granule of claim 13, wherein the granule is colored.
- 30 20. An agglomerated granule of claim 13, wherein the granule is flavored.

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US99/13757

A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) : A23L 1/29, 1/302, 1/304

US CL : 426/72, 74, 285, 289, 292, 620

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 426/72, 74, 285, 289, 292, 620

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS, JPO SEARCH TERMS: vitamins, minerals, syrup, mix, agglomerate, powders cereal, RTE

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US, 3,042,526 A (SPIESS, JR., et al) 16 September 1957, col. 1, lines 1031.	7, 13, 14, 15, 16, 17, 19, 20
Y	US 3,471,603 A (PATRICK et al.) 07 October 1969, col. 9, lines 16-27, col. 10, lines 64-75.	1, 3, 4, 5-6, 13
X Y	US 3,627,583 A (TROY et al.) 14 December 1971, abstract and col. 2, lines 20-36.	1-20
X	US 3,647,480 A (CERMAK) 07 March 1972, abstract.	1, 13
Y	US 5,098,723 A (DuBOIS et al.) 24 March 1992, abstract.	1, 13



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents:	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
A document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
E earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*G* document member of the same patent family
O document referring to an oral disclosure, use, exhibition or other means	
P document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

31 JULY 1999

Date of mailing of the international search report

17 AUG 1999

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

HELEN PRATT

Telephone No. (703) 308-0661

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US99/13757

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 5,236,920 A (KILBRIDE, JR., et al.) 17 August 1993, abstract and col. 2, lines 50-70.	1, 13
X	JP 359227252 A (KUNIHICO) 20 December 1984, abstract.	1, 13
X	JP 410215814 A (MORO) 18 AUGUST 1998, abstract.	1, 13
X	US 3,992,556 (KOVACS) 16 November 1976, abstract and col. 13, lines 55-70, col. 14, lines 1-11.	1-20
Y	US 5,368,870 A (EFSTATHIOU) 29 November 1994, abstract.	1, 7, 13